PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ :		(11) International Publication Number: WO 99/46926			
H04M 15/30, 17/00	A1	(43) International Publication Date: 16 September 1999 (16.09.99)			
(21) International Application Number: PCI	r/SE99/003	(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB,			
(22) International Filing Date: 10 March 19	99 (10.03.9				

(30) Priority Data: 09/041,575

12 March 1998 (12.03.98)

US

(71) Applicant: TELEFONAKTIEBOLAGET LM ERICSSON (publ) [SE/SE]; S-126 25 Stockholm (SE).

(72) Inventor: STILLE, Ola, Mats; Asögatan 116, S-116 24 Stockholm (SE).

(74) Agent: ERICSSON RADIO SYSTEMS AB; Common Patent Dept., S-164 80 Stockholm (SE).

KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published

With international search report.

(54) Title: INTELLIGENT PRE-PAID SERVICE CARD FOR A MOBILE PHONE

(57) Abstract

An Intelligent Pre-paid Service Card (IPSC) (114) for a mobile phone (10) is disclosed, whereby the IPSC (114) performs call charge calculations, instead of the mobile network. The IPSC (114) can be integrated with a conventional SIM card in the mobile phone (10). As such, the mobile network does not have to transmit call charging information to the mobile phone (10). Consequently, any network can handle calls for a roaming pre-paid subscriber whose mobile phone (10) includes an IPSC (114).



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia	i
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia	
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal	- 1
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland	- 1
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad	- [
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo	
ВВ	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan	- 1
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan	- 1
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey	- 1
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago	- 1
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine	ŀ
BR	Brazil	II.	Israel	MR	Mauritania	UG	Uganda	
BY	Belarus	IS	Iceland	MW	Malawi	us	United States of America	
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan	
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam	1
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia	
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe	
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand			ļ
CM	Cameroon		Republic of Korea	PL	Poland			
CN	China	KR	Republic of Korea	PT	Portugal			
CU	Cuba	KZ	Kazakstan	RO	Romania			
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation			
DE	Germany	LI	Liechtenstein	SD	Sudan			
DK	Denmark	LK	Sri Lanka	SE	Sweden			
EE	Estonia	LR	Liberia	SG	Singapore			

INTELLIGENT PRE-PAID SERVICE CARD FOR A MOBILE PHONE

5 BACKGROUND OF THE INVENTION

Technical Field of the Invention

The present invention relates in general to the telephony accounting field and, in particular, to a method and apparatus for ensuring that roaming pre-paid subscribers can make, and be charged for, mobile telephone calls.

Description of Related Art

10

15

20

25

30

Most mobile telephone subscribers pay for their mobile calls after they receive a monthly bill from their service provider (commonly referred to as "post-paid" accounting). However, this process of monthly accounting requires a substantial amount of administrative support in order for the service provider to collect the call data, calculate the costs for the calls, send bills to the subscribers, etc.

In order to reduce the monthly accounting administrative burden, some mobile telephone system operators have been offering pre-paid (accounting) services to their subscribers. Generally, there are three mobile pre-paid accounting approaches in use: (1) the Intelligent Network (IN) approach; (2) the Call Detail Record (CDR) network approach; and (3) the Advice of Charge (AoC) network approach. Using the IN pre-paid accounting approach, a subscription for each prepaid customer is stored in a subscriber database in a system's IN node. Each subscription field in the IN node contains certain information such as, for example, the number of charging units (to be used for the payment of a call), dates (e.g., when the charging units or subscription will expire, when announcements are to be played, etc.), and other subscriber-related information (e.g., tariff class, lists of barred and allowed numbers, and other restrictions and information about subscribers). This subscriber information can be stored in the IN's Service Control Function, an external database (e.g., a Service Data Function), or both. The charging units can be any unit value, as long as the unit is fully convertible between monetary value, time value, etc.

-2-

For mobile telephone systems using the CDR network approach for prepaid accounting purposes, the call data records are collected similar to those in conventional billing systems. However, a difference between the post-paid CDR and pre-paid CDR network approaches is that the pre-paid CDR network approach maintains a dedicated pre-paid account in a database for each mobile subscriber. When a call has been made and a resulting CDR is being processed by the system, the cost of the call is calculated and deducted from the amount in the subscriber's account. If the account reaches zero, the pre-paid system orders the mobile network to bar the subscriber from making additional calls. Some of the network operators allow the pre-paid amount to reach zero without restricting the call, but those operators eventually charge the subscriber by post-processing the CDRs in a post-paid billing system.

For mobile telephone systems using the AoC network approach for pre-paid accounting purposes, AoC information for a pre-paid subscriber is sent from the network and received by the subscriber's mobile phone. The mobile phone forwards the received AoC information to its Subscriber Identity Module (SIM) card, where special pre-paid application software resides. The pre-paid software routine deducts the AoC amounts from a pre-paid amount stored in the SIM card. Again, this is a network-based pre-paid accounting approach.

20

15

5

10

A significant problem with existing mobile telephone systems that offer pre-paid services is that roaming and outgoing calls are restricted. The main reason for these restrictions is that the home area mobile telephone network operator/service provider cannot rely on the principle that all visited networks of other countries where the end-user may roam, are technically supporting the CDR, IN or AoC approaches in accordance with the requirements of the home area mobile telephone network operator/service provider. The home area mobile telephone network operator/service provider simply cannot assume the risk of the end-user being able to make calls free of charge due to a visited network's incompatibility with any of the three pre-paid network approaches.

30

25

As an example, for the AoC approach, the mobile telephone networks need to transfer call charge information to the pre-paid accounting application software that resides in the SIM cards located in the mobile phones. The pre-paid

application software deducts the call charges from the pre-paid charging units stored in the SIM card. The main problem with such an AoC arrangement is first, that very few visited networks support AoC at all, which makes these networks invalid for roaming. Second, even if the visited network were to support AoC, the home network operator would have no influence on the call charge transferred to the mobile phone, because it would be the visited network that would set and transfer the call charge information to the mobile phone. Consequently, if the prepaid subscriber leaves the mobile phone's home network area (e.g., for a vacation), the home network operator would have to transfer a call barring order on the prepaid subscriber to the visited network, since the AoC would not be guaranteed to be handled at all, or at least in the way that the home operator would want the call charges to be handled. However, as described in detail below, the present invention successfully resolves these problems.

SUMMARY OF THE INVENTION

15

5

10

An Intelligent Pre-paid Service Card (IPSC) is provided for a mobile phone, whereby the IPSC performs call charge calculations, instead of the network. In a preferred embodiment of the invention, an IPSC is integrated with a conventional SIM card in a mobile phone. As such, the mobile network does not have to transmit call charging information to the mobile phone. Consequently, any network can handle calls for a roaming pre-paid subscriber whose mobile phone includes the present IPSC.

20

An important technical advantage of the present invention is that roaming pre-paid subscribers' calls are not restricted, and calls can be placed or received at any location.

25

30

Another important technical advantage of the present invention is that mobile phone pre-paid services can be provided without the need for backup post-processing.

BRIEF DESCRIPTION OF THE DRAWINGS

A more complete understanding of the method and apparatus of the present invention may be had by reference to the following detailed description when taken

-4-

in conjunction with the accompanying drawings wherein:

FIGURE 1 is a simplified block diagram of an exemplary mobile radiotelephone, which can be used to implement the preferred embodiment of the present invention; and

FIGURE 2 is a simplified block diagram that illustrates an exemplary SIM card with an Intelligent Prepaid Service Area that can be used to implement a preferred embodiment of the present invention.

DETAILED DESCRIPTION OF THE DRAWINGS

5

10

15

20

25

30

The preferred embodiment of the present invention and its advantages are best understood by referring to FIGUREs 1-2 of the drawings, like numerals being used for like and corresponding parts of the various drawings.

Essentially, in accordance with the present invention, an IPSC is provided for a mobile phone, in which the IPSC performs call charge calculations, instead of the network. In a preferred embodiment of the invention, an IPSC is integrated with a SIM card in a mobile phone. As such, the mobile network does not have to transmit call charging information to the mobile phone. Consequently, any network can handle calls for a roaming pre-paid subscriber whose mobile phone includes the present IPSC.

Specifically, FIGURE 1 is a simplified block diagram of an exemplary mobile radiotelephone 10, which can be used to implement the preferred embodiment of the present invention. For example, mobile radiotelephone (phone) 10 can be a mobile terminal or mobile station operating in a cellular communications system, such as, for example, the Global System for Mobile Communications (GSM), the Personal Digital Cellular (PDC) system, or the Advanced or Digital-Advanced Mobile Phone System (AMPS or D-AMPS). As such, the present invention can be implemented in any mobile phone that utilizes a SIM or similar feature. As shown, the exemplary mobile phone 10 includes a SIM 14, which can be, for example, configured as an ID-1 SIM (format and layout in accordance with the ISO standards for integrated circuit cards), or a plug-in SIM (e.g., semi-permanently installed).

FIGURE 2 is a simplified block diagram that illustrates an exemplary SIM card 114 that can be used to implement a preferred embodiment of the present invention. For this exemplary embodiment, SIM card 114 includes an Intelligent Prepaid Service

Area (IPSA) 116 integrated with the SIM card 114. The IPSA 116 includes a memory storage area (not shown), which can be addressed (read from and written to) by a processor located in the mobile phone 10. The IPSA memory includes the IPSA software routine(s) used for performing calculations and processing of the pre-paid service call charge information. The IPSA software routine(s) are preferably executed by the processor located in the mobile phone.

5

10

15

20

25

30

Preferably, an initial charge limit value (e.g., \$100.00), which the subscriber/user of the mobile phone 10 has paid for, is stored as units in the IPSA 116 of the SIM card. For example, a subscriber can purchase new call limit units at any appropriate retail store, or directly from a mobile network operator or service provider at a designated location. The network operator and service provider can sell IPSCs with their respective brand names on the cards. Essentially, a user can change network operators by simply purchasing a specific operator's plug-in IPSC. The IPSC (via the IPSC/SIM interface) will cause the mobile phone to select the appropriate network to connect with according to the network issuer of the IPSC. If the mobile phone is "roaming" in a country other than the "home" country, the mobile phone will be able to select a cooperating network to connect with in the visited country, based on information provided by the SIM card and user choice. Alternatively, a network operator can input the initial, or refill, charge limit value directly to the mobile phone (e.g., password-authorized keypad entry), or the initial charge value can be downloaded at an appropriate time from the network via the radio air interface (e.g., only while the phone is located in its home network area).

For accounting purposes (if necessary), the home network's mobile services switching centers (MSCs) can create CDRs for the IPSC mobile phone calls in the same way as that used for non-IPSC mobile phone calls. However, the home network operator's administrative systems (billing centers) would not use those CDRs for payment settlements with the IPSC subscribers, but preferably would use them only for accounting purposes with the visited countries' cooperating network operators.

When the user of mobile phone 10 makes a call, the IPSA software extracts the dialed party's number from the terminal part of the mobile phone via the SIM card-terminal interface. The IPSA 116 memory area includes a charging analysis table, which is used to determine a call charge rate based on the dialed party's number. For

simplicity sake, the preferred embodiment is described herein as utilizing a flat-rate oriented charge scheme. For example, the IPSA software can apply only one tariff for all national number calls dialed. The IPSA software can apply one national tariff as per visited country (e.g., 0.5 GBP/60 seconds in visited UK GSM networks, 1.0 DEM/60 seconds in visited German GSM networks, and 1.0 USD/60 seconds in the United States.

5

10

15

20

25

30

For international calls, a flat rate can be used on a per country or continent basis (as seen from the home network's perspective). In other words, for the continent case, one tariff can be applied for calls made to Europe, a second tariff for calls to North America, a third tariff for calls to South America, a fourth tariff for Asia, a fifth for Australia, and a sixth for Africa (seven tariffs including the home nation).

Once the IPSA 116 software determines the charge for a call (from the charge analysis table), the software waits for an indication (via the SIM card-terminal interface) that the dialed call has been connected. When the end-user makes a an international call by pressing, for example, the "+" key (substitute for the international carrier prefix) followed by the country code, the IPSA 116 software extracts the country code digits, compares them with the charges listed for that country in the charge analysis table, and sets the appropriate tariff for that destination country or continent. Alternatively, if the end-user dials an international carrier prefix instead of pressing the "+" key, the IPSA 116 software analyzes the dialed number and determines from the first few digits that the dialed number has an international format according to the country of the visited network. The IPSA 116 software then extracts the country code digits, compares them with the charges listed for that country in the charge analysis table, and sets the appropriate international tariff for that destination country or continent.

As such, the IPSA 116 software waits for receipt of a remote end answer signal (e.g., a Q931-based CONNECT message in the PDC and GSM). If the remote end answer signal is not received (e.g., after a time-out duration of 30 seconds), the IPSA software does not institute the charging subroutine(s).

If the IPSA software receives a remote end answer signal (the dialed call has been connected), the charging subroutine is initiated to start a unit countdown. For example, the countdown can be made as 30 seconds per unit for national calls, and 15

-7-

seconds per unit for international European calls. If the initial charge amount paid by the mobile phone subscriber is \$100.00, this amount would correspond to 100 units stored in the IPSA (e.g., at \$1.00 per unit). This would result in a \$1.00 per 30 second conversation time for national U.S. calls, and \$2.00 for a similar duration international European call.

5

10

15

20

After the call (and unit countdown) is completed, the IPSA 116 software stores the remaining amount of units for the next call. If the number of remaining charging units falls below zero during a call, the IPSA software issues a "call terminate" order message via the SIM card to the terminal part of the mobile phone, which functions to drop the call. However, as an option for this embodiment, the IPSA software can issue a notification message to the terminal part of the phone when, for example, a certain amount of (e.g., 10) charging units remain. In response, the terminal can generate a "low charging unit" tone from the phone's speaker for the end-user to hear. When there are no units remaining in the IPSA memory store, the IPSA software preferably prohibits any additional calls until the operator/service provider/user inserts a new IPSA card (or the operator/service provider keys-in a new amount) with more than a threshold amount of charge units.

Although a preferred embodiment of the method and apparatus of the present invention has been illustrated in the accompanying Drawings and described in the foregoing Detailed Description, it will be understood that the invention is not limited to the embodiment disclosed, but is capable of numerous rearrangements, modifications and substitutions without departing from the spirit of the invention as set forth and defined by the following claims.

WHAT IS CLAIMED IS:

5

15

20

A method for providing a prepaid call service from a mobile phone, 1. comprising the steps of:

said mobile phone storing an initial value associated with said prepaid call service;

said mobile phone determining a charge value for a call made with said mobile phone; and


said mobile phone subtracting said charge value from said initial value.


- The method of Claim 1, wherein said initial value is stored in an 2. intelligent prepaid service area memory store in said mobile phone. 10
 - The method of Claim 1, wherein the determining step comprises 3. counting down for a duration of said call.
 - The method of Claim 1, wherein said charge value is associated with 4. a predetermined charge rate for said call.
 - A mobile phone for use in providing a prepaid call service, comprising: 5. a subscriber identity module;
 - a prepaid service module connected to said subscriber identity module; and a processor coupled to at least one of said subscriber identity module and said prepaid service module, said processor operable to:
 - store an initial value associated with said prepaid call service in said prepaid service module;

determine a charge value for a call made with said mobile phone; and subtract said charge value from said initial value.

- The mobile phone of Claim 5, wherein said processor is operable to 6. perform a countdown for a duration of said call. 25
 - The mobile phone of Claim 5, wherein said charge value is associated 7.

with a predetermined charge rate for said call.





INTERNATIONAL SEARCH REPORT

International Application No PCT/SE 99/00368

A. CLASSI IPC 6	FICATION OF SUBJECT MATTER H04M15/30 H04M17/00				
According to	o International Patent Classification (IPC) or to both national classifica	ation and IPC			
B. FIELDS	SEARCHED				
Minimum do	ocumentation searched (classification system followed by classification	on symbols)			
IPC 6	H04M H04Q				
Documenta	tion searched other than minimum documentation to the extent that s	uch documents are inclu	ided in the fields searched		
Electronic d	ata base consulted during the international search (name of data base	se and, where practical,	search terms used)		
	ENTS CONSIDERED TO BE RELEVANT				
Category °	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.		
X	WO 95 28062 A (NOKIA TELECOMMUNICATIONS 1-7 OY) 19 October 1995 see claim 2 see page 6, line 21 - page 7, line 2 see page 9, line 24 - page 10, line 3				
X	EP 0 790 587 A (PHILIPS ELECTRONICS NV) 20 August 1997 see column 3, line 26 - column 4, line 21 see claims 1,3,4				
X	GB 2 308 528 A (KARAGOEZLUE IBRAH ;RAMIS HARRY (GB)) 25 June 1997 see page 4, line 1 - page 5, line see claims 1,2,4	1-3,5,6			
	-	-/			
النا	ner documents are listed in the continuation of box C.	X Patent family r	nembers are listed in annex.		
* Special ca	tegories of cited documents :	"T" later document publ	ished after the international filing date		
"A" docume	"A" document defining the general state of the lart which is not conflict with the application but				
considered to be of particular relevance invention "E" earlier document but published on or after the international					
filing date "X" document of particular relevance: the claimed inven cannot be considered novel or cannot be considere involve an inventive step when the document is talk			red novel or cannot be considered to		
which is died to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to invente as invention story then					
other means document is combined with one or more other such documents, such combination being obvious to a person skilled					
"P" document published prior to the international filing date but in the art. later than the priority date claimed "&" document member of the sar			of the same patent family		
Date of the	actual completion of the international search	Date of mailing of t	he international search report		
10	0 June 1999	21/06/1999			
Name and n	nailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2	Authorized officer			
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Neves Appelt, D			

1

INTERNATIONAL SEARCH REPORT

Inter. ational Application No PCT/SE 99/00368

C.(Continua	tion) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category '	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
(US 5 577 100 A (MCGREGOR DONALD S ET AL) 19 November 1996	1-4
4	see column 1, line 45 - column 3, line 15 see claims 1,6	5–7
x	US 5 631 947 A (CIOCCA GIACOMO A ET AL) 20 May 1997	1-4
٩	see column 3, line 52 - line 63 see claims 8,12	5-7
A	FR 2 727 270 A (VARY DIDIER) 24 May 1996 see abstract	1-7
A	GB 2 267 794 A (CONROY ALAN KILPATRICK) 15 December 1993 see abstract	1-7
:	·	

1

INTERNATIONAL SEARCH REPORT

Information on patent family members

PCT/SE 99/00368

Patent document cited in search report	τ	Publication date		ent family ember(s)	Publication date
WO 9528062	А	19-10-1995	AU CN EP FI JP US	691604 B 2216795 A 1151240 A 0754394 A 963996 A 10501931 T 5748720 A	21-05-1998 30-10-1995 04-06-1997 22-01-1997 05-12-1996 17-02-1998 05-05-1998
EP 0790587	Α	20-08-1997	FR CN JP	2744822 A 1168609 A 9233541 A	14-08-1997 24-12-1997 05-09-1997
GB 2308528	Α	25-06-1997	NONE		
US 5577100	Α	19-11-1996	AU AU BR CA CN EP JP WO	695509 B 4901096 A 9606875 A 2211892 A 1176039 A 0808547 A 10513618 T 9624229 A	13-08-1998 21-08-1996 23-12-1997 08-08-1996 11-03-1998 26-11-1997 22-12-1998 08-08-1996
US 5631947	A	20-05-1997	AU CA EP WO	1550992 A 2105570 A 0576552 A 9216078 A	06-10-1992 05-09-1992 05-01-1994 17-09-1992
FR 2727270	Α	24-05-1996	AU WO	4263896 A 9616504 A	17-06-1996 30-05-1996
GB 2267794	Α	15-12-1993	NONE		

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
·

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.